```
chain nodes: 7 8 9 18 20 7ing nodes: 1 2 3 4 5 10 13 14 15 16 17 21 22 23 24 25 26 chain bonds: 1 2 3 4 5 10 13 14 15 16 17 21 22 23 24 25 26 chain bonds: 1 -8 2-9 4-7 9-10 18-20 20-26 7ing bonds: 1 -2 1-5 2-3 3-4 4-5 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 1 -2 1 -5 1-8 2-3 2-9 3-4 4-5 4-7 9-10 18-20 20-26 7ing bonds: 1 -2 1-5 1-8 2-3 2-9 3-4 4-5 10-17 13-14 14-15 15-16 16-17 21-22 21-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 7ing bonds: 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26 24-25 25-26 24
```

G1:0.S.N

Match level :

containing 1:

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 7:CLASS 8:CLASS 9:CLASS 10:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:CLASS 19:Atom 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom

25:Atom 26:Atom Generic attributes :

Generic attributes : 20:

Saturation : Unsaturated

L1 STRUCTURE UPLOADED

=> Uploading C:\Program Files\Stnexp\Queries\10530757-elected.str

chain nodes :


```
7 8 9 18 20
ring nodes :
 1 2 3 4 5 10 13 14 15 16 17 21 22 23 24 25 26
chain bonds :
 1-8 2-9 4-7 9-10 18-20 20-26
 ring bonds :
 1-2 \quad 1-5 \quad 2-3 \quad 3-4 \quad 4-5 \quad 10-13 \quad 10-17 \quad 13-14 \quad 14-15 \quad 15-16 \quad 16-17 \quad 21-22 \quad 21-26 \quad 10-17 
 22-23 23-24 24-25 25-26
 exact/norm bonds :
 1-2 1-5 1-8 2-3 2-9 3-4 4-5 4-7 9-10 18-20 20-26
normalized bonds :
 10-13 10-17 13-14 14-15 15-16 16-17 21-22 21-26 22-23 23-24 24-25 25-26
 isolated ring systems :
 containing 1 :
G1:0, S, N
Match level :
 1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 7:CLASS 8:CLASS 9:CLASS 10:Atom 13:Atom
 14:Atom 15:Atom 16:Atom 17:Atom 18:CLASS 19:Atom 20:Atom 21:Atom 22:Atom
 23:Atom 24:Atom
 25:Atom 26:Atom
 Generic attributes :
 20:
 Saturation
                                                                                                  : Unsaturated
L2 STRUCTURE UPLOADED
                     FILE 'REGISTRY' ENTERED AT 13:00:15 ON 26 JUN 2008
 L1
                                                                    STRUCTURE UPLOADED
 L4
```

5 S L1 SSS FULL

FILE 'CAPLUS' ENTERED AT 13:01:19 ON 26 JUN 2008 1 S L4

FILE 'REGISTRY' ENTERED AT 13:01:26 ON 26 JUN 2008

=> d 11 L1 HAS NO ANSWERS L1 STR



G1 0, S, N

L5

Structure attributes must be viewed using STN Express query preparation.

=> fil caplus

=> d 15 bib abs

- L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN
- AN 2003:757334 CAPLUS Full-text
- DN 139:276885
- TI Preparation of novel heterocyclic analogs of diphenylethylene compounds as antidiabetics
- IN Neogi, Partha; Dey, Debendranath; Medicherla, Satyanarayana; Nag, Bishwajit; Lee, Arthur
- PA USA
- SO U.S. Pat. Appl. Publ., 66 pp., Cont.-in-part of U.S. Ser. No. 843,167. CODEN: USXXCO
- DT Patent
- LA English
- FAN.CNT 14

FAN.CNT 14																	
	PATENT NO.								APPLICATION NO.								
PΙ	PI US 20030181494			A1					US 2002-265902								
	US 20020025975			A1		20020228			US 2001-785554					20010220			
	US 20020032225							US 2001-843167						20010427			
	US 7105				B2 20060912												
				A1		2004	0422	2 CA 2003-2501456									
							WO 2003-US31803										
	W:	AE, AG	, AL,	AM,	ΑT,	ΑU,	ΑZ,	BA,	BB	, BG,	BR,	BY,	ΒZ,	CA,	CH,	CN,	
		CO, CR	, CU,	CZ,	DE,	DK,	DM,	DZ,	EC	, EE,	EG,	ES,	FI,	GB,	GD,	GE,	
		GH, GM															
		LR, LS															
		OM, PG	, PH,	PL,	PT,	RO,	RU,	SC,	SD	, SE,	SG,	SK,	SL,	SY,	ΤJ,	TM,	
		TN, TR	, TT,	TZ,	UA,	UG,	US,	UZ,	VC	, VN,	YU,	ZA,	ZM,	zw			
	RW:	GH, GM	, KE,	LS,	MW,	ΜZ,	SD,	SL,	SZ	, TZ,	UG,	ZM,	ZW,	AM,	ΑZ,	BY,	
		KG, KZ	, MD,	RU,	ΤJ,	TM,	ΑT,	BE,	BG	, CH,	CY,	CZ,	DE,	DK,	EE,	ES,	
		FI, FR	, GB,	GR,	HU,	ΙE,	IT,	LU,	MC	, NL,	PT,	RO,	SE,	SI,	SK,	TR,	
		BF, BJ															
				A1				AU 2003-282754									
	EP 1549625			A1						2003-							
	R:	AT, BE														PT,	
		IE, SI															
									CN 2003-80101164								
	JP 2006505551			T		20060216			JP 2004-543490					20031008			
	NZ 539121			A 20080430			NZ 2003-539121 US 2006-530757						20031008				
	US 20060235062			A1	A1 20061019				US 2006-530757					20060508			
PRAI	PRAI US 1999-287237																
	US 2000-591105																
	US 2001	-785554		A2		2001	0220										
	US 2001-843167 US 1998-74925			A2													
						19980508											
	US 2002-265902																
	WO 2003-US31803				W 20031008												
OS	MARPAT	139:276	885														
CT																	

^{*} STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB The title compds. [I; Z = II-IV; n, m, q and r = 0-4 (n+m ≤ 4 and q+r ≤ 4); p, s = 0-5 (p+s ≤ 5); R, R2 = H, alkyl, alkenyl, etc.; R1 = H, alkyl, alkenyl, etc.; A, A1, A2 = H, acvlamino, acvloxy, alkanovl, etc.; B, B1, B2 = H, acylamino, acyloxy, alkanoyl, etc.; or A and B together, or A1 and B1 together, or A2 and B2 together, may be joined to form a methylenedioxy or ethylenedioxy; X, X1 = (un)substituted NH, O, S] which are effective in lowering blood glucose level, serum insulin, triglyceride and free fatty acid levels in animal models of Type II diabetes, were prepared E.g., a multi-step synthesis of V, starting from 3,5-dimethoxybenzaldehyde and 4hydroxyphenylacetic acid, was given. The compound V showed strong glucose lowering activity even though it is a weak PPAR-y agonist (data given). The compds. I are disclosed as useful for a variety of treatments including the treatment of inflammation, inflammatory and immunol. diseases, insulin resistance, hyperlipidemia, coronary artery disease, cancer and multiple sclerosis. Pharmaceutical composition comprising the compound I was claimed.

SESSION WILL BE HELD FOR 120 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 13:01:56 ON 26 JUN 2008